


ROEBUCK


British Made

SOCKET SETS

CADMIUM OR CHROMIUM PLATED



WHITWORTH
AND S.A.E.
STANDARDS



FOR STRENGTH AND ENDURING SERVICE

'ROEBUCK'

CHROME - VANADIUM SOCKET SETS

CADMIUM OR CHROMIUM PLATED

PRICES of SOCKETS and TOOLS

1" Square Drive

				Cadmium Plated	Chromium Plated
White Sockets	RW 1204	2/8	3/2		
	" 1206	2/8	3/2		
	" 1208	2/8	3/2		
	" 1210	2/8	3/2		
	" 1212	3/4	4/4		
	" 1214	3/4	4/4		
	" 1216	3/11	4/8		
	" 1218	5/-	5/10		
	" 1220	6/1	6/11		
	" 1222	7/2	8/1		
	" 1224	8/1	9/2		
	RA 1212	2/8	3/2		
	" 1214	2/8	3/2		
	" 1216	2/8	3/2		
	" 1218	2/8	3/2		
A/F Sockets	" 1219	2/11	3/6		
	" 1220	3/2	3/10		
	" 1221	3/5	4/1		
	" 1222	3/7	4/4		
	" 1224	3/7	4/4		
	" 1225	3/9	4/6		
	" 1226	3/10	4/7		
	" 1228	3/10	4/7		
	" 1230	4/4	5/2		
	" 1232	4/11	5/9		
	" 1234	5/5	6/3		
	" 1236	6/-	6/11		
	" 1240	8/2	9/3		
	RD 1226	8/7	9/6		
	" 1232	9/5	10/6		
Spark Plug 14mm.	R 110	3/4	4/2		
4" Extension	R 115	5/8	6/7		
10" "	R 140	7/6	8/4		
Universal Joint	R 20	3/9	4/8		
Sliding Tee	R 41	14/-	15/2		
Flex. Handle Short 10"	R 42	15/6	16/9		
Long 15"	R 130	3/3	4/2		
3" to 2" Adaptor					
Ratchet, Chrome-Alloy	R 51	24/2	26/5		
Steel	R 15	7/10	9/-		
Speeder Brace	R 135	5/-	5/10		
Turnscrew Bit Socket					
Valve Grinding					
Attachment	R 150	4/2	4/8		

All 'Roebuck' Chrome-Alloy Sockets and Tools are fully guaranteed against any defect due to faulty materials or workmanship and any socket or tool which fails to give complete satisfaction will be replaced free of charge, provided, of course, that they have been subjected to reasonable wear and tear and have not been abused.

(This Guarantee does not apply to the Nos. 0 and 1 Socket Sets illustrated on Page 5, which are of Carbon Steel).

ROEBUCK' SOCKET SETS

CADMIUM OR CHROMIUM PLATED

WHITWORTH SET No. R 35

9 Pieces

This Set comprises 7 Sockets $\frac{3}{16}$ " to $\frac{9}{16}$ " Whitworth Standard, Sliding Tee Bar and Short Extension, contained in Strong Steel Case, finished in Olive Green Crackle Cellulose. Size $12" \times 2\frac{1}{2}" \times 1\frac{1}{2}"$

PRICE COMPLETE

CADMIUM PLATED ... 36/-

CHROMIUM PLATED ... 42/6

S.A.E. SET No. R 30

9 Pieces

This Set is much the same as that shown above except that the 7 Sockets are provided to accommodate S.A.E. sizes $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ " and $\frac{7}{8}$ " across flats. Case is of the same size and finish as the No. 35.

PRICE COMPLETE

CADMIUM PLATED 36/-

CHROMIUM PLATED 42/6

WHITWORTH SET No. R 40

12 Pieces

A larger set comprising 7 Whitworth Standard Sockets $\frac{3}{16}$ " to $\frac{9}{16}$ " Sliding Tee, Universal Joint Short and Long Extension pieces and 10" Flexible Handle. The steel case is of the same construction as those shown above but measures $17\frac{1}{2}" \times 4" \times 1\frac{1}{2}"$

PRICE COMPLETE

CADMIUM PLATED 65/7

CHROMIUM PLATED 75/-

'ROEBUCK' SOCKET SETS

CADMIUM OR CHROMIUM PLATED

S.A.E. Set No. R 45

12 Pieces



This Set is similar to that shown on previous page except that it is made up to accommodate sockets for S.A.E. sizes $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ " and $\frac{7}{8}$ " across flats. Steel case measures $17\frac{1}{2}$ " x 4" x $1\frac{1}{2}$ "

PRICE COMPLETE
CADMIUM PLATED 65/7
CHROMIUM PLATED 75/-

COMBINATION Set No. R 55 WHITWORTH AND S.A.E.


32 Pieces

This is a very fine set combining Sockets and Tools for both Whitworth and S.A.E. Standards. It comprises 24 sockets $\frac{1}{8}$ " to $\frac{3}{8}$ " Whitworth and $\frac{7}{16}$ " to $1\frac{1}{16}$ " A.F., 14mm. and 18mm. Spark Plug Sockets, Universal Joint, Long and Short Extension pieces, Speeder Brace, Flexible Handle, Reversible Ratchet and Sliding Tee. All contained in steel case measuring 18" x 6" x 2".



PRICE COMPLETE
CADMIUM PLATED
£8 1s. 3d.
CHROMIUM PLATED
£9 10s. 0d.

TOOLS for 'ROEBUCK' Socket Sets



CADMIUM OR CHROMIUM PLATED FINISH

The Tools shown above are all standard Tools and can be supplied from stock. They are of the highest quality Chrome-Alloy Steel and are guaranteed against defect in materials or workmanship. Prices are shown on Page 2.

'ROEBUCK' SPANNERS

Open End Chrome-Vanadium
ENGINEERS TYPE



A very useful set of seven open-end type Spanners. Designed and constructed to give long enduring service. Supplied in either Whit. or S.A.E. sizes. Complete with holding clip. Whit. $\frac{1}{8}$ " to $\frac{5}{16}$ ". S.A.E. $\frac{1}{8}$ " to 1 A/F.

PRICE 29s. 6d. PER SET

Packed singly in cardboard boxes.

Nos. 0 and 1 SOCKET SETS

Made from high quality Carbon Steel, machined and broached to size, complete with hexagonal operating handle. Contained in strong metal container, Blue Enamelled. Excellent value.


No. 0. 6 Sockets SET
4AB $\frac{1}{8}$ ", $\frac{3}{16}$ ", $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ " Whit. 3/9

No. 1. 6 Sockets
 $\frac{3}{8}$ ", $\frac{1}{2}$ ", $\frac{5}{8}$ ", $\frac{3}{4}$ ", $\frac{7}{8}$ ", $\frac{1}{1}$ " Whit. 5/6

No. 1. 6 Sockets
 $\frac{1}{2}$ ", $\frac{5}{8}$ ", $\frac{3}{4}$ ", $\frac{7}{8}$ ", $\frac{1}{1}$ ", S.A.E. 5/6



'ROEBUCK' NUT BRACES



These Braces are constructed from $\frac{5}{16}$ " dia. bar. They are fitted with sockets of Chrome-Alloy Steel and the revolving steel handles provide comfortable grip. Designed with sufficient leverage to loosen tightest nuts yet small enough to fit into tool-box or tray of smallest car. In $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ " Whit. and $\frac{3}{8}$ ", $\frac{1}{2}$ " A/F. All sizes shown fit the greater majority of cars.

PRICE 5s. EACH

'ROEBUCK' FOUR-WAY WHEELBRACES

With Chrome-Alloy Sockets.

This tool is designed and constructed on the same lines as the Nut Brace shown above but is a combination brace suitable for sizes $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ " and $\frac{1}{2}$ " Whit. or $\frac{3}{8}$ ", $\frac{1}{2}$ ", $\frac{3}{4}$ " and $\frac{1}{2}$ " A/Fs. S.A.E.

PRICE 22s. 6d. EACH




'ROEBUCK' SIX-WAY WHEELBRACES

With Chrome-Alloy Sockets

An extremely useful tool built for rough usage and to give long enduring service. Sockets are single Hexagon and are "hot-broached." This tool will meet with Service Station demands for a really universal wheel nut brace. Will accommodate nuts $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ " and $\frac{1}{2}$ " Whit. and $\frac{3}{8}$ " and $\frac{1}{2}$ " A/Fs. S.A.E.

PRICE 32s. 6d. EACH



ROEBUCK SOCKET SETS

ROEBUCK CHROME VANADIUM SOCKET SETS *Continued*—

$\frac{1}{2}$ " Square Drive.				Bright Zinc Plated.	Chromium Plated.
1 $\frac{1}{8}$ " A.F. Socket	RA.	1236		7/3	8/4
1 $\frac{1}{4}$ "	"	1240		9/10	11/1
Spark Plug, 14 mm.	R.D.	1226		10/4	11/5
" " 18 mm.	"	1232		11/4	12/7
4" Extension	R.	110		4/-	5/-
10" "	R.	115		6/10	7/11
Universal Joint	R.	140		9/-	10/-
Sliding Tee	R.	20		4/6	5/5
Flex. Handle, Short, 10"	R.	41		16/10	18/3
" " Long, 15"	R.	42		18/7	20/1
$\frac{1}{2}$ " to $\frac{3}{4}$ " Adaptor	R.	130		3/11	5/-
Ratchet, Chrome-Alloy Steel	R.	51		29/-	31/9
Speeder Brace	R.	15		9/5	10/10
Turnscrew Bit Socket	R.	135		6/-	7/-
Valve Grinding Attachment	R.	150		5/-	5/5

CHROME SPANNERS

Whit.										Price each.
$\frac{3}{16}$ " $\times$ $\frac{3}{16}$ "	..	..	..	..	..	..	..	..	..	2/8
$\frac{1}{16}$ " $\times$ $\frac{1}{4}$ "	..	..	..	..	..	..	..	..	..	3/-
$\frac{1}{4}$ " $\times$ $\frac{1}{16}$ "	..	..	..	..	..	..	..	..	..	3/6
$\frac{5}{16}$ " $\times$ $\frac{3}{8}$ "	..	..	..	..	..	..	..	..	..	4/3
$\frac{3}{8}$ " $\times$ $\frac{1}{16}$ "	..	..	..	..	..	..	..	..	..	5/-
$\frac{7}{16}$ " $\times$ $\frac{1}{2}$ "	..	..	..	..	..	..	..	..	..	5/9
$\frac{1}{2}$ " $\times$ $\frac{9}{16}$ "	..	..	..	..	..	..	..	..	..	7/4
$\frac{5}{8}$ " $\times$ $\frac{1}{2}$ "	..	..	..	..	..	..	..	..	..	7/6
$\frac{9}{16}$ " $\times$ $\frac{5}{8}$ "	..	..	..	..	..	..	..	..	..	8/11
$\frac{5}{8}$ " $\times$ $\frac{3}{4}$ "	..	..	..	..	..	..	..	..	..	12/1
$\frac{3}{4}$ " $\times$ $\frac{7}{8}$ "	..	..	..	..	..	..	..	..	..	12/10
$\frac{7}{8}$ " $\times$ 1"	..	..	..	..	..	..	..	..	..	14/5

S.A.E. (across flats).										Price each.
$\frac{5}{16}$ " $\times$ $\frac{3}{8}$ "	..	..	..	..	..	..	..	..	..	2/8
$\frac{1}{16}$ " $\times$ $\frac{1}{2}$ "	..	..	..	..	..	..	..	..	..	3/-
$\frac{1}{4}$ " $\times$ $\frac{3}{8}$ "	..	..	..	..	..	..	..	..	..	3/6
$\frac{5}{16}$ " $\times$ $\frac{1}{2}$ "	..	..	..	..	..	..	..	..	..	4/3
$\frac{3}{8}$ " $\times$ $\frac{5}{8}$ "	..	..	..	..	..	..	..	..	..	5/-
$\frac{1}{2}$ " $\times$ $\frac{3}{4}$ "	..	..	..	..	..	..	..	..	..	5/9
$\frac{5}{8}$ " $\times$ $\frac{1}{2}$ "	..	..	..	..	..	..	..	..	..	3/4
$\frac{3}{4}$ " $\times$ $\frac{7}{8}$ "	..	..	..	..	..	..	..	..	..	7/4
Price per Complete Set	..	..	..	..	..	..	..	..	..	31/-

Polished Chrome-Alloy Open-ended Spanners.

ROEBUCK NUT BRACES

ROEBUCK NUT BRACES	..	..	..	..	..	6/- Each
" Four-Way Wheelbraces	..	..	..	..	..	27/- "
" Six-Way	..	..	..	..	..	39/- "